



BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790



Arts & Crafts Style Grilles



4" tall in 10 different lengths from 6" to 36"

RR-209 04x14

RR-209 04x10

Arts & Crafts part number	duct height	size length	total height	size length	depth thickness	weight actual	weight shipping	free air flow sq inches	price %	current
RR-209 04x06	4	6	6	8	0.375	0.35	2	13.4	74	\$ 59.00
RR-209 04x08	4	8	6	10	0.375	0.5	3	18.4	74	\$ 64.00
RR-209 04x10	4	10	6	12	0.375	0.6	3	23.4	74	\$ 69.00
RR-209 04x12	4	12	6	14	0.375	0.7	4	28.4	74	\$ 74.00
RR-209 04x14	4	14	6	16	0.375	0.8	4	33.4	74	\$ 79.00
RR-209 04x16	4	16	6	18	0.375	0.9	4	38.4	74	\$ 89.00
RR-209 04x20	4	20	6	22	0.375	1.1	4	48.4	74	\$ 99.00
RR-209 04x24	4	24	6	26	0.375	1.3	5	58.4	74	\$ 124.00
RR-209 04x30	4	30	6	32	0.375	1.5	6	73.4	74	\$ 134.00
RR-209 04x36	4	36	6	38	0.375	1.8	8	88.3	74	\$ 149.00




Free Shipping

6" tall in 10 different lengths from 6" to 36"

RR-209 06x06

RR-209 06x12



Arts & Crafts part number	duct height	size length	total height	size length	depth thickness	weight actual	weight shipping	free air flow sq inches	price %	current
RR-209 06x06	6	6	8	8	0.375	0.5	3	21.4	74	\$ 69.00
RR-209 06x08	6	8	8	10	0.375	0.7	3	29.3	74	\$ 74.00
RR-209 06x10	6	10	8	12	0.375	0.9	4	37.3	74	\$ 79.00
RR-209 06x12	6	12	8	14	0.375	1.0	4	45.2	74	\$ 84.00
RR-209 06x14	6	14	8	16	0.375	1.2	5	53.2	74	\$ 89.00
RR-209 06x16	6	16	8	18	0.375	1.3	6	61.2	74	\$ 99.00
RR-209 06x20	6	20	8	22	0.375	1.5	6	77.1	74	\$ 114.00
RR-209 06x24	6	24	8	26	0.375	1.6	6	93.0	74	\$ 144.00
RR-209 06x30	6	30	8	32	0.375	2.0	10.00	116.8	74	\$ 174.00
RR-209 06x36	6	36	8	38	0.375	2.6	12.00	140.7	74	\$ 199.00



BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790



Arts & Crafts Style Grilles

8" tall in 9 different lengths from 8" to 36"



RR-209 08x14

RR-209 08x20

Arts & Crafts part number	duct height	size length	total height	size length	depth thickness	weight actual	weight shipping	free air flow sq inches	price %	price current
RR-209 08x08	8	8	10	10	0.375	0.8	4	40.2	74	\$ 84.00
RR-209 08x10	8	10	10	12	0.375	1.0	4	51.2	74	\$ 89.00
RR-209 08x12	8	12	10	14	0.375	1.2	5	62.1	74	\$ 94.00
RR-209 08x14	8	14	10	16	0.375	1.4	6	73.0	74	\$ 99.00
RR-209 08x16	8	16	10	18	0.375	1.6	6	83.9	74	\$ 109.00
RR-209 08x20	8	20	10	22	0.375	1.8	8	105.7	74	\$ 134.00
RR-209 08x24	8	24	10	26	0.375	2.0	8	127.6	74	\$ 169.00
RR-209 08x30	8	30	10	32	0.375	2.2	12	160.3	74	\$ 199.00
RR-209 08x36	8	36	10	38	0.375	2.5	16	193.1	74	\$ 234.00



Free Shipping

10" tall in 8 different lengths from 10" to 36"



RR-209 10x10

RR-209 10x14

Arts & Crafts part number	duct height	size length	total height	size length	depth thickness	weight actual	weight shipping	free air flow sq inches	price %	price current
RR-209 10x10	10	10	12	12	0.375	1.1	4	65.0	74	\$ 99.00
RR-209 10x12	10	12	12	14	0.375	1.3	5	78.9	74	\$ 104.00
RR-209 10x14	10	14	12	16	0.375	1.5	6	92.8	74	\$ 114.00
RR-209 10x16	10	16	12	18	0.375	1.8	6	106.7	74	\$ 124.00
RR-209 10x20	10	20	12	22	0.375	2.2	8	134.4	74	\$ 154.00
RR-209 10x24	10	24	12	26	0.375	2.5	10	162.2	74	\$ 184.00
RR-209 10x30	10	30	12	32	0.375	2.8	14	203.8	74	\$ 239.00
RR-209 10x36	10	36	12	38	0.375	3.2	16	245.4	74	\$ 259.00



BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790



RR-209 12x16



RR-209 12x12

Arts & Crafts Style Grilles

12" tall in 6 different lengths from 12" to 36"

Arts & Crafts part number	duct height	size length	total height	size length	depth thickness	weight actual	weight shipping	free air flow sq inches	price %	current
RR-209 12x12	12	12	14	14	0.375	1.4	6	95.7	74	\$ 134.00
RR-209 12x16	12	16	14	18	0.375	1.7	7	129.4	74	\$ 149.00
RR-209 12x20	12	20	14	22	0.375	2.4	9	163.1	74	\$ 164.00
RR-209 12x24	12	24	14	26	0.375	2.8	10	196.8	74	\$ 229.00
RR-209 12x30	12	30	14	32	0.375	3.3	14	247.3	74	\$ 274.00
RR-209 12x36	12	36	14	38	0.375	3.6	16	297.8	74	\$ 299.00

Free Shipping

14" tall in 6 different lengths

from 14" to 36"



RR-209 12x36

Arts & Crafts part number	duct height	size length	total height	size length	depth thickness	weight actual	weight shipping	free air flow sq inches	price %	current
RR-209 14x14	14	14	16	16	0.375	2.2	9	132.4	74	\$ 159.00
RR-209 14x20	14	20	16	22	0.375	2.8	12	191.8	74	\$ 199.00
RR-209 14x24	14	24	16	26	0.375	3.2	14	231.4	74	\$ 249.00
RR-209 14x30	14	30	16	32	0.375	3.6	16	290.7	74	\$ 289.00
RR-209 14x36	14	36	16	38	0.375	4.0	20	350.1	74	\$ 324.00



RR-209 14x20

RR-209 14x24





BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grilles

16" tall in 5 different lengths from 16" to 36"



Arts & Crafts part number	duct height	size length	total height	size length	depth thickness	weight actual	weight shipping	free air flow sq inches	price %	price current
RR-209 16x16	16	16	18	18	0.375	2.4	9	174.9	74	\$ 189.00
RR-209 16x20	16	20	18	22	0.375	3.0	10	220.4	74	\$ 214.00
RR-209 16x24	16	24	18	26	0.375	3.5	16	265.9	74	\$ 269.00
RR-209 16x30	16	30	18	32	0.375	4.0	18	334.2	74	\$ 319.00
RR-209 16x36	16	36	18	38	0.375	4.6	22	402.5	74	\$ 374.00



Free Shipping

18" tall in one size only 18" to 18"

Arts & Crafts part number	duct height	size length	total height	size length	depth thickness	weight actual	weight shipping	free air flow sq inches	price %	price current
RR-209 18x18	18	18	20	20	0.4	3.2	10	223.4	74	\$ 219.00

Decorators Supplies' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter, or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge. Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grilles

Free Shipping

20" tall in 4 different lengths from 20" to 36"


Arts & Crafts part number	duct height	size length	total height	size length	depth thickness	weight actual	weight shipping	free air flow sq inches	price %	price current
RR-209 20x20	20	20	22	22	0.4	3.5	14	277.8	74	\$ 269.00
RR-209 20x24	20	24	22	26	0.4	3.8	16	335.1	74	\$ 324.00
RR-209 20x30	20	30	22	32	0.4	4.4	22	421.2	74	\$ 389.00
RR-209 20x36	20	36	22	38	0.4	5.0	25	507.2	74	\$ 449.00



RR-209 20x20



RR-209 20x24




RR-209 20x30

24" tall in 3 different lengths from 24" to 36"

Arts & Crafts part number	duct height	size length	total height	size length	depth thickness	weight actual	weight shipping	free air flow sq inches	price %	price current
RR-209 24x24	24	24	26	26	0.4	4.8	25	404.3	74	\$ 389.00
RR-209 24x30	24	30	26	32	0.4	5.6	30	508.1	74	\$ 449.00
RR-209 24x36	24	36	26	38	0.4	6.5	35	611.9	74	\$ 499.00



RR-209 24x30



RR-209 24x24



RR-209 24x36




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 04x06



<i>part number</i>	RR-209 04x06	<i>to cover duct size</i>	04" x 06"	<i>finishes available</i>	11
<i>UPC Code</i>	731236368052	<i>outside height</i>	6"	<i>weight / shipping weight</i>	.35lb / 2lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	8"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	3-3/8"	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	5-3/8"	<i>free air flow</i>	13.4 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$59

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 04x08



<i>part number</i>	RR-209 04x08	<i>to cover duct size</i>	04" x 08"	<i>finishes available</i>	13
<i>UPC Code</i>	738759723627	<i>outside height</i>	6"	<i>weight / shipping weight</i>	.5lb / 3lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	10"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	3-3/8"	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	7-3/8"	<i>free air flow</i>	18.4 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$64

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter, or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge. Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 04x10



<i>part number</i>	RR-209 04x10	<i>to cover duct size</i>	04" x 10"	<i>finishes available</i>	11
<i>UPC Code</i>	731236369462	<i>outside height</i>	6"	<i>weight / shipping weight</i>	.6lb / 3lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	12"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	3-3/8"	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	9-3/8"	<i>free air flow</i>	23.4 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$69

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 04x12



<i>part number</i>	RR-209 04x12	<i>to cover duct size</i>	04" x 12"	<i>finishes available</i>	11
<i>UPC Code</i>	731236368397	<i>outside height</i>	6"	<i>weight / shipping weight</i>	.7lb / 4lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	14"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	3-3/8"	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	11-3/8"	<i>free air flow</i>	28.4 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$74

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 04x14



<i>part number</i>	RR-209 04x14	<i>to cover duct size</i>	04" x 14"	<i>finishes available</i>	11
<i>UPC Code</i>	738759723719	<i>outside height</i>	6"	<i>weight / shipping weight</i>	.8lb / 4lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	16"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	3-3/8"	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	13-3/8"	<i>free air flow</i>	33.4 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$79

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 04x16



<i>part number</i>	RR-209 04x16	<i>to cover duct size</i>	04" x 16"	<i>finishes available</i>	13
<i>UPC Code</i>	731236368151	<i>outside height</i>	6"	<i>weight / shipping weight</i>	.9lb / 4lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	18"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	3-3/8"	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	15-3/8"	<i>free air flow</i>	38.4 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$89

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 04x20



<i>part number</i>	RR-209 04x20	<i>to cover duct size</i>	04" x 20"	<i>finishes available</i>	11
<i>UPC Code</i>	731236367994	<i>outside height</i>	6"	<i>weight / shipping weight</i>	1.1lb / 4lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	22"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	3-3/8"	<i>predrilled screw holes / screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	19-3/8"	<i>free air flow</i>	48.4 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$99

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 04x24



<i>part number</i>	RR-209 04x24	<i>to cover duct size</i>	04" x 24"	<i>finishes available</i>	11
<i>UPC Code</i>	731236368137	<i>outside height</i>	6"	<i>weight / shipping weight</i>	1.3lb / 5lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	26"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	3-3/8"	<i>predrilled screw holes / screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	23-3/8"	<i>free air flow</i>	58.4 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$124

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 04x30



<i>part number</i>	RR-209 04x30	<i>to cover duct size</i>	04" x 30"	<i>finishes available</i>	11
<i>UPC Code</i>		<i>outside height</i>	6"	<i>weight / shipping weight</i>	1.5b / 6lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	32"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	3-3/8"	<i>predrilled screw holes / screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	29-3/8"	<i>free air flow</i>	73.4 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$134

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 04x36



<i>part number</i>	RR-209 04x36	<i>to cover duct size</i>	04" x 36"	<i>finishes available</i>	11
<i>UPC Code</i>	738759723771 AB	<i>outside height</i>	6"	<i>weight / shipping weight</i>	1.8lb / 8lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	38"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	3-3/8"	<i>predrilled screw holes / screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	35-3/8"	<i>free air flow</i>	88.3 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$149

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 06x06



<i>part number</i>	RR-209 06x06	<i>to cover duct size</i>	06" x 06"	<i>finishes available</i>	11
<i>UPC Code</i>	731236368014	<i>outside height</i>	8"	<i>weight / shipping weight</i>	.5lb / 3lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	8"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	5-3/8"	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	5-3/8"	<i>free air flow</i>	21.4 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$69

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 06x08



<i>part number</i>	RR-209 06x08	<i>to cover duct size</i>	06" x 08"	<i>finishes available</i>	11
<i>UPC Code</i>	731236369455	<i>outside height</i>	8"	<i>weight / shipping weight</i>	.7lb / 3lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	10"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	5-3/8"	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	7-3/8"	<i>free air flow</i>	29.3 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$74

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 06x10



<i>part number</i>	RR-209 06x10	<i>to cover duct size</i>	06" x 10"	<i>finishes available</i>	11
<i>UPC Code</i>	731236368083	<i>outside height</i>	8"	<i>weight / shipping weight</i>	.9lb / 4lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	12"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	5-3/8"	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	9-3/8"	<i>free air flow</i>	37.3 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$79

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 06x12



<i>part number</i>	RR-209 06x12	<i>to cover duct size</i>	06" x 12"	<i>finishes available</i>	11
<i>UPC Code</i>	731236368021	<i>outside height</i>	8"	<i>weight / shipping weight</i>	1lb / 4lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	14"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	5-3/8"	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	11-3/8"	<i>free air flow</i>	45.2 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$84

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter, or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge. Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 06x14



<i>part number</i>	RR-209 06x14new	<i>to cover duct size</i>	06" x 14"	<i>finishes available</i>	13
<i>UPC Code</i>	731236368083	<i>outside height</i>	8"	<i>weight / shipping weight</i>	1.2lb / 5lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	16"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	5-3/8"	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	13-3/8"	<i>free air flow</i>	53.2 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$89

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 06x16



<i>part number</i>	RR-209 06x16	<i>to cover duct size</i>	06" x 16"	<i>finishes available</i>	11
<i>UPC Code</i>	731236368144	<i>outside height</i>	8"	<i>weight / shipping weight</i>	1.3lb / 6lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	18"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	5-3/8"	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	15-3/8"	<i>free air flow</i>	61.2 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$99

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 06x20



part number	RR-209 06x20	to cover duct size	06" x 20"	finishes available	11
UPC Code	731236368038	outside height	8"	weight / shipping weight	1.5lb / 6lbs
style	Arts & Crafts	outside width	22"	thickness	3/8"
material	Urethane Resin	inside height	5-3/8"	predrilled screw holes / screws	6 / 6
function	HVAC Grille	inside width	19-3/8"	free air flow	77.1 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$114

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 06x24



<i>part number</i>	RR-209 06x24	<i>to cover duct size</i>	06" x 24"	<i>finishes available</i>	11
<i>UPC Code</i>	738759723979	<i>outside height</i>	8"	<i>weight / shipping weight</i>	1.6lb / 6lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	26"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	5-3/8"	<i>predrilled screw holes / screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	23-3/8"	<i>free air flow</i>	93 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$144

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 06x30



<i>part number</i>	RR-209 06x30	<i>to cover duct size</i>	06" x 30"	<i>finishes available</i>	11
<i>UPC Code</i>	731236368045	<i>outside height</i>	8"	<i>weight / shipping weight</i>	2lb / 10lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	32"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	5-3/8"	<i>predrilled screw holes / screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	29-3/8"	<i>free air flow</i>	116.8 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$174

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80


Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS
WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM
INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM
410-867-0790

Arts & Crafts Style Grille: RR-209 06x36



<i>part number</i>	RR-209 06x36	<i>to cover duct size</i>	06" x 36"	<i>finishes available</i>	11
<i>UPC Code</i>	738759724037	<i>outside height</i>	8"	<i>weight / shipping weight</i>	2.6lb / 12lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	38"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	5-3/8"	<i>predrilled screw holes / screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	35-3/8"	<i>free air flow</i>	140.7 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$199

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 08x08



<i>part number</i>	RR-209 08x08	<i>to cover duct size</i>	08" x 08"	<i>finishes available</i>	11
<i>UPC Code</i>	731236369141	<i>outside height</i>	10"	<i>weight / shipping weight</i>	.8lb / 4lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	10"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	7-3/8"	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	7-3/8"	<i>free air flow</i>	40.2 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$84

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter, or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge. Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 08x10



<i>part number</i>	RR-209 08x10	<i>to cover duct size</i>	08" x 10"	<i>finishes available</i>	11
<i>UPC Code</i>	731236368007	<i>outside height</i>	10"	<i>weight / shipping weight</i>	1lb / 4lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	12"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	7-3/8"	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	9-3/8"	<i>free air flow</i>	51.2 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$89

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 08x12



<i>part number</i>	RR-209 08x12	<i>to cover duct size</i>	08" x 12"	<i>finishes available</i>	11
<i>UPC Code</i>	731236368403	<i>outside height</i>	10"	<i>weight / shipping weight</i>	1.2lb / 5lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	14"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	7-3/8"	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	11-3/8"	<i>free air flow</i>	62.1 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$94

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter, or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge. Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 08x14



<i>part number</i>	RR-209 08x14	<i>to cover duct size</i>	08" x 14"	<i>finishes available</i>	11
<i>UPC Code</i>	738759724150	<i>outside height</i>	10"	<i>weight / shipping weight</i>	1.4lb / 6lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	16"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	7-3/8"	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	13-3/8"	<i>free air flow</i>	73sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$99

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter, or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge. Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 08x16



<i>part number</i>	RR-209 08x16	<i>to cover duct size</i>	08" x 16"	<i>finishes available</i>	11
<i>UPC Code</i>	731236368144	<i>outside height</i>	10"	<i>weight / shipping weight</i>	1.6lb / 6lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	18"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	7-3/8"	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	15-3/8"	<i>free air flow</i>	83.9sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$109

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	118 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter, or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge. Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 08x20



<i>part number</i>	RR-209 08x20	<i>to cover duct size</i>	08" x 20"	<i>finishes available</i>	11
<i>UPC Code</i>	731236369820	<i>outside height</i>	10"	<i>weight / shipping weight</i>	1.8lb / 8lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	22"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	7-3/8"	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	19-3/8"	<i>free air flow</i>	105.7sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$134

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 08x24



<i>part number</i>	RR-209 08x24	<i>to cover duct size</i>	08" x 24"	<i>finishes available</i>	11
<i>UPC Code</i>	738759724181	<i>outside height</i>	10"	<i>weight / shipping weight</i>	2lb / 8lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	26"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	7-3/8"	<i>predrilled screw holes / screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	23-3/8"	<i>free air flow</i>	127.6sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$169

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 08x30



<i>part number</i>	RR-209 08x30	<i>to cover duct size</i>	08" x 30"	<i>finishes available</i>	11
<i>UPC Code</i>	731236368205	<i>outside height</i>	10"	<i>weight / shipping weight</i>	2.2lb / 12lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	32"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	7-3/8"	<i>predrilled screw holes / screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	29-3/8"	<i>free air flow</i>	160.3 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$199

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 08x36



<i>part number</i>	RR-209 08x36	<i>to cover duct size</i>	08" x 36"	<i>finishes available</i>	11
<i>UPC Code</i>		<i>outside height</i>	10"	<i>weight / shipping weight</i>	2.5lb / 16lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	38"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	7-3/8"	<i>predrilled screw holes / screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	35-3/8"	<i>free air flow</i>	193.1 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$234

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 10x10



<i>part number</i>	RR-209 10x10	<i>to cover duct size</i>	10" x 10"	<i>finishes available</i>	11
<i>UPC Code</i>	738759724242	<i>outside height</i>	12"	<i>weight / shipping weight</i>	1.1lb / 4lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	12"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	9-3/8"	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	9-3/8"	<i>free air flow</i>	65 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$99

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 10x12



<i>part number</i>	RR-209 10x12	<i>to cover duct size</i>	10" x 12"	<i>finishes available</i>	11
<i>UPC Code</i>	738759724273	<i>outside height</i>	12"	<i>weight / shipping weight</i>	1.3lb / 5lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	14"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	9-3/8"	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	11-3/8"	<i>free air flow</i>	78.9sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$104

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 10x14



<i>part number</i>	RR-209 10x14	<i>to cover duct size</i>	10" x 14"	<i>finishes available</i>	11
<i>UPC Code</i>	738759724303	<i>outside height</i>	12"	<i>weight / shipping weight</i>	1.5lb / 6lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	16"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	9-3/8"	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	13-3/8"	<i>free air flow</i>	92.8sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$114

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 10x16



<i>part number</i>	RR-209 10x16	<i>to cover duct size</i>	10" x 16"	<i>finishes available</i>	11
<i>UPC Code</i>	738759724334	<i>outside height</i>	12"	<i>weight / shipping weight</i>	1.8lb / 6lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	18"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	9-3/8"	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	15-3/8"	<i>free air flow</i>	106.7sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$124

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 10x20



<i>part number</i>	RR-209 10x20	<i>to cover duct size</i>	10" x 20"	<i>finishes available</i>	11
<i>UPC Code</i>	738759724365	<i>outside height</i>	12"	<i>weight / shipping weight</i>	2.2lb / 8lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	22"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	9-3/8"	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	19-3/8"	<i>free air flow</i>	134.4sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$154

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 10x24



<i>part number</i>	RR-209 10x24	<i>to cover duct size</i>	10" x 24"	<i>finishes available</i>	11
<i>UPC Code</i>	731236369837	<i>outside height</i>	12"	<i>weight / shipping weight</i>	2.5lb / 10lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	26"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	9-3/8"	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	23-3/8"	<i>free air flow</i>	162.2sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$184

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 10x30



<i>part number</i>	RR-209 10x30	<i>to cover duct size</i>	10" x 30"	<i>finishes available</i>	11
<i>UPC Code</i>	731236369844	<i>outside height</i>	12"	<i>weight / shipping weight</i>	2.8lb / 14lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	32"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	9-3/8"	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	29-3/8"	<i>free air flow</i>	203.8q inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$219

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 10x36

Not Currently Available



<i>part number</i>	RR-209 10x36	<i>to cover duct size</i>	10" x 36"	<i>finishes available</i>	11
<i>UPC Code</i>	731236369851	<i>outside height</i>	12"	<i>weight / shipping weight</i>	3.2lb / 16bs
<i>style</i>	Arts & Crafts	<i>outside width</i>	38"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	9-3/8"	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	35-3/8"	<i>free air flow</i>	245.4sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$239

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 12x12



<i>part number</i>	RR-209 12x12	<i>to cover duct size</i>	12" x 12"	<i>finishes available</i>	11
<i>UPC Code</i>	731236369868	<i>outside height</i>	14"	<i>weight / shipping weight</i>	1.4lb / 6lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	14"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	11-3/8"	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	11-3/8"	<i>free air flow</i>	95.7sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$134

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 12x16



<i>part number</i>	RR-209 12x16	<i>to cover duct size</i>	12" x 16"	<i>finishes available</i>	11
<i>UPC Code</i>	731236369875	<i>outside height</i>	14"	<i>weight / shipping weight</i>	1.7lb / 7lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	18"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	11-3/8"	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	15-3/8"	<i>free air flow</i>	\$129.4q inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$149

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 12x20



<i>part number</i>	RR-209 12x20	<i>to cover duct size</i>	12" x 20"	<i>finishes available</i>	11
<i>UPC Code</i>	731236369882	<i>outside height</i>	14"	<i>weight / shipping weight</i>	2.4lb / 9bs
<i>style</i>	Arts & Crafts	<i>outside width</i>	22"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	11-3/8"	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	19-3/8"	<i>free air flow</i>	163.1sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$164

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 12x24



<i>part number</i>	RR-209 12x24	<i>to cover duct size</i>	12" x 24"	<i>finishes available</i>	11
<i>UPC Code</i>	731236369899	<i>outside height</i>	14"	<i>weight / shipping weight</i>	2.8lb / 10lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	26"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	11-3/8"	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	23-3/8"	<i>free air flow</i>	196.8 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$229

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 12x30



<i>part number</i>	RR-209 12x30	<i>to cover duct size</i>	12" x 30"	<i>finishes available</i>	11
<i>UPC Code</i>	731236369905	<i>outside height</i>	14"	<i>weight / shipping weight</i>	3.3lb / 14lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	32"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	11-3/8"	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	29-3/8"	<i>free air flow</i>	247.3sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$274

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 12x36



<i>part number</i>	RR-209 12x36	<i>to cover duct size</i>	12" x 36"	<i>finishes available</i>	11
<i>UPC Code</i>	731236369912	<i>outside height</i>	14"	<i>weight / shipping weight</i>	3.6lb / 16lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	38"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	11-3/8"	<i>free air flow</i>	297.8sq inch
<i>function</i>	HVAC Grille	<i>inside width</i>	35-3/8"	<i>predrilled screw holes / screws</i>	6/ 6
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$299

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 14x14



<i>part number</i>	RR-209 14x14	<i>to cover duct size</i>	14" x 14"	<i>finishes available</i>	11
<i>UPC Code</i>	731236368366	<i>outside height</i>	16"	<i>weight / shipping weight</i>	2.2lb / 9lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	16"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	13-3/8"	<i>free air flow</i>	132.4sq inch
<i>function</i>	HVAC Grille	<i>inside width</i>	13-3/8"	<i>predrilled screw holes / screws</i>	6/ 6
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$159

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 14x20



<i>part number</i>	RR-209 14x20	<i>to cover duct size</i>	14" x 20"	<i>finishes available</i>	11
<i>UPC Code</i>	731236369936	<i>outside height</i>	16"	<i>weight / shipping weight</i>	2.8lb /12lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	22"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	13-3/8"	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	19-3/8"	<i>free air flow</i>	191.8sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$199

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 14x24



<i>part number</i>	RR-209 14x24	<i>to cover duct size</i>	14" x 24"	<i>finishes available</i>	11
<i>UPC Code</i>	731236369929	<i>outside height</i>	16"	<i>weight / shipping weight</i>	3.2lb / 14lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	26"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	13-3/8"	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	23-3/8"	<i>free air flow</i>	231.4sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$249

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 14x30



part number	RR-209 14x30	to cover duct size	14" x 30"	finishes available	11
UPC Code	731236368106	outside height	16"	weight / shipping weight	3.6lb / 16lbs
style	Arts & Crafts	outside width	32"	thickness	3/8"
material	Urethane Resin	inside height	13-3/8"	predrilled screw holes / screws	6/ 6
function	HVAC Grille	inside width	29-3/8"	free air flow	290.7sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$289

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 14x36

Not Currently Available



<i>part number</i>	RR-209 14x36	<i>to cover duct size</i>	14" x 36"	<i>finishes available</i>	11
<i>UPC Code</i>	731236369660	<i>outside height</i>	16"	<i>weight / shipping weight</i>	4.2lb / 20lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	38"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	13-3/8"	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	35-3/8"	<i>free air flow</i>	350.1 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$324

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 16x20



<i>part number</i>	RR-209 16x20	<i>to cover duct size</i>	16" x 20"	<i>finishes available</i>	13
<i>UPC Code</i>	731236369943	<i>outside height</i>	18"	<i>weight / shipping weight</i>	3lb / 10lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	22"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	15-3/8"	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	19-3/8"	<i>free air flow</i>	220.4sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$214

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 16x16



<i>part number</i>	RR-209 16x16	<i>to cover duct size</i>	16" x 16"	<i>finishes available</i>	13
<i>UPC Code</i>	731236368120	<i>outside height</i>	18"	<i>weight / shipping weight</i>	2.4lb / 9lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	18"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	15-3/8"	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	15-3/8"	<i>free air flow</i>	174.9sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$189

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 16x24



<i>part number</i>	RR-209 16x24	<i>to cover duct size</i>	16" x 24"	<i>finishes available</i>	11
<i>UPC Code</i>	731236369950	<i>outside height</i>	18"	<i>weight / shipping weight</i>	3.5b / 16lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	26"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	15-3/8"	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	23-3/8"	<i>free air flow</i>	265.9sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$269

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 16x30



<i>part number</i>	RR-209 16x30	<i>to cover duct size</i>	16" x 30"	<i>finishes available</i>	11
<i>UPC Code</i>	731236369967	<i>outside height</i>	18"	<i>weight / shipping weight</i>	4b / 18lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	32"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	15-3/8"	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	29-3/8"	<i>free air flow</i>	334.2sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$319

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 16x36



part number	RR-209 16x36	to cover duct size	16" x 36"	finishes available	11
UPC Code	731236369653	outside height	18"	weight / shipping weight	4.6 / 26lbs
style	Arts & Crafts	outside width	38"	thickness	4/10"
material	Urethane Resin	inside height	15-3/8"	predrilled screw holes / screws	6/ 6
function	HVAC Grille	inside width	35-3/8"	free air flow	402.5sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$374

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge. Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 18x18



<i>part number</i>	RR-209 18x18	<i>to cover duct size</i>	18" x 18"	<i>finishes available</i>	13
<i>UPC Code</i>	731236369974	<i>outside height</i>	20"	<i>weight / shipping weight</i>	3.2lb / 10lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	20"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	17-3/8"	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	17-3/8"	<i>free air flow</i>	223.4sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$219

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 20x20



<i>part number</i>	RR-209 20x20	<i>to cover duct size</i>	20" x 20"	<i>finishes available</i>	11
<i>UPC Code</i>	731236369684	<i>outside height</i>	22"	<i>weight / shipping weight</i>	3.5lb / 14lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	22"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	19-3/8"	<i>predrilled screw holes / screws</i>	8/ 8
<i>function</i>	HVAC Grille	<i>inside width</i>	19-3/8"	<i>free air flow</i>	277.8sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$269

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 20x24



<i>part number</i>	RR-209 20x24	<i>to cover duct size</i>	20" x 24"	<i>finishes available</i>	11
<i>UPC Code</i>	738759724754	<i>outside height</i>	22"	<i>weight / shipping weight</i>	4lb / 20bs
<i>style</i>	Arts & Crafts	<i>outside width</i>	26"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	19-3/8"	<i>predrilled screw holes / screws</i>	8/ 8
<i>function</i>	HVAC Grille	<i>inside width</i>	23-3/8"	<i>free air flow</i>	335.1sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$324

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 20x30



<i>part number</i>	RR-209 20x30	<i>to cover duct size</i>	20" x 30"	<i>finishes available</i>	13
<i>UPC Code</i>	738759724785	<i>outside height</i>	22"	<i>weight / shipping weight</i>	4.5lb / 22lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	32"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	19-3/8"	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	29-3/8"	<i>free air flow</i>	421.2sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$389

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 20x36



<i>part number</i>	RR-209 20X36	<i>to cover duct size</i>	20" x 36"	<i>finishes available</i>	13
<i>UPC Code</i>	738759724808	<i>outside height</i>	22"	<i>weight / shipping weight</i>	5lb / 25lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	38"	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	19-3/8"	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	35-3/8"	<i>free air flow</i>	501.2sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$449

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 24x24



<i>part number</i>	RR-209 24x24	<i>to cover duct size</i>	24" x 24"	<i>finishes available</i>	11
<i>UPC Code</i>	738759724815	<i>outside height</i>	26"	<i>weight / shipping weight</i>	4.8b / 25lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	26"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	23-3/8"	<i>predrilled screw holes / screws</i>	8/ 8
<i>function</i>	HVAC Grille	<i>inside width</i>	23-3/8"	<i>free air flow</i>	404.3sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$389

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 24x30



<i>part number</i>	RR-209 24x30	<i>to cover duct size</i>	24" x 30"	<i>finishes available</i>	11
<i>UPC Code</i>	738759723665	<i>outside height</i>	26"	<i>weight / shipping weight</i>	5.6b / 30lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	32"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	23-3/8"	<i>predrilled screw holes / screws</i>	8/ 8
<i>function</i>	HVAC Grille	<i>inside width</i>	29-3/8"	<i>free air flow</i>	508.1sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$449

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 24x36



<i>part number</i>	RR-209 24x36	<i>to cover duct size</i>	24" x 36"	<i>finishes available</i>	11
<i>UPC Code</i>	738759723634	<i>outside height</i>	26"	<i>weight / shipping weight</i>	6.5b / 34lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	38"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	23-3/8"	<i>predrilled screw holes / screws</i>	8/ 8
<i>function</i>	HVAC Grille	<i>inside width</i>	35-3/8"	<i>free air flow</i>	611.9sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$499

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790


Suspended Ceiling Grille Insert

Arts & Crafts Style Grille: RR-209 SGI-2ftx2ft



*Especially Made for
2ft x 2ft Suspended Ceiling
Grid Insert.*

23-5/8"



23-5/8"

4/10"

<i>part number</i>	RR-209 2ftx2ft	<i>2x2 suspended ceiling</i>	2ft x 2 ft	<i>finishes available</i>	13
<i>UPC Code</i>	738759723665	<i>outside height</i>	23-5/8"	<i>weight / shipping weight</i>	7.5b / 26lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	23-5/8"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	21"	<i>predrilled screw holes / screws</i>	none
<i>function</i>	HVAC Grille	<i>inside width</i>	21"	<i>free air flow</i>	307.2sq inch
<i>placement</i>	Suspended Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$389

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80




BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Foundation Vent: FV-209



part number	RR-209 Foundation Vent	to cover vent size	8" x 16"	finishes available	13
UPC Code	731236369677	outside height	13"	weight / shipping weight	6lbs / 15lbs
style	Arts & Crafts	outside width	19"	thickness	7/8"
material	Urethane Resin	inside height	7-3/8"	mounting bolts with wing nuts	2
function	HVAC Grille	inside width	13-3/8"	free air flow	73 sq inch
placement	Wall / Ceiling	frame width	2"	price	\$199

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

This foundation Vent is made exclusively for foundations and crawl spaces to fit the typical 16" x 8" missing concrete block crawl space vent opening. These foundation vents consists of two separate parts, the frame which is attached to the foundation and the grille which is removable, both are cast from an exterior grade urethane resin that won't rot, rust, corrode or grow mold. The grille can be removed by unscrewing four knurled knobs, in order to seal off the foundation in cold weather months by inserting a sealing plate behind the grille, or to put in a fiberglass screen mesh behind the grille in the war weather months to allow ventilation in to the crawlspace. Therefore the homeowner can service these vents from the outside of the house without having to crawl into the crawl space. Each grille provides 73 square inches of ventilation with the fiberglass screen mesh installed. All installation hardware, plus sealer plate and fiberglass screen mesh is included. These foundation vents are easy to install in new construction and existing structures as well, plus they are virtually maintenance free. In addition they are available in two unique styles featuring either an Arts & Crafts style grille or a Louis XIV style grille.

Each foundation grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter, or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This "cold-fusion" process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge. Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.