



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 04x06

Made to fit 15cm x 10cm duct



<i>part number</i>	RR-209 04x06	<i>to cover duct size</i>	15cm x 10cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236368052	<i>outside height</i>	15.2cm	<i>weight / shipping weight</i>	.16kg / .9kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	20.3cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	8.2cm	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	13.3cm	<i>free air flow</i>	86.5sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$59

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 04x08

Made to fit 20cm x 10cm duct



<i>part number</i>	RR-209 04x08	<i>to cover duct size</i>	20cm x 10cm	<i>finishes available</i>	14
<i>UPC Code</i>	738759723627	<i>outside height</i>	15.2cm	<i>weight / shipping weight</i>	2.3kg / .91kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	25.4cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	8.2cm	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	18.4cm	<i>free air flow</i>	118.7sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$64

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 04x10

Made to fit 25cm x 10cm duct



<i>part number</i>	RR-209 04x10	<i>to cover duct size</i>	25cm x 10cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236369462	<i>outside height</i>	15.2cm	<i>weight / shipping weight</i>	.27kg / 1.4kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	30.5cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	8.2cm	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	23.5cm	<i>free air flow</i>	151sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$69

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 04x12

Made to fit 30cm x 10cm duct



<i>part number</i>	RR-209 04x12	<i>to cover duct size</i>	30cm x 10cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236368397	<i>outside height</i>	15.2cm	<i>weight / shipping weight</i>	.32kg / 1.8kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	35.6cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	8.2cm	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	28.6cm	<i>free air flow</i>	183.2 sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$74

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 04x14

Made to fit 35cm x 10cm duct



part number	RR-209 04x14	to cover duct size	35cm x 10cm	finishes available	14
UPC Code	738759723719	outside height	15.2cm	weight / shipping weight	.36kg / 1.8kg
style	Arts & Crafts	outside width	40.6cm	thickness	.95cm
material	Urethane Resin	inside height	8.2cm	predrilled screw holes / screws	4 / 4
function	HVAC Grille	inside width	33.6cm	free air flow	215.5 sq cm
placement	Wall / Ceiling	frame width	3.5cm	price	\$79

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 04x16

Made to fit 40cm x 10cm duct



<i>part number</i>	RR-209 04x16	<i>to cover duct size</i>	40cm x 10cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236368151	<i>outside height</i>	15.2cm	<i>weight / shipping weight</i>	.4kg / 1.8kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	45.7cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	8.2cm	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	38.7cm	<i>free air flow</i>	247.7sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$89

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 04x20

Made to fit 50cm x 10cm duct



<i>part number</i>	RR-209 04x20	<i>to cover duct size</i>	50cm x 10cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236367994	<i>outside height</i>	15.2cm	<i>weight / shipping weight</i>	.5kg / 1.8kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	55.9cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	8.2cm	<i>predrilled screw holes / screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	48.9cm	<i>free air flow</i>	312.2sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$99

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 04x24

Made to fit 60cm x 10cm duct



part number	RR-209 04x24	to cover duct size	60cm x 10cm	finishes available	14
UPC Code	731236368137	outside height	15.2cm	weight / shipping weight	.59kg / 2.3kg
style	Arts & Crafts	outside width	66cm	thickness	.95cm
material	Urethane Resin	inside height	8.2cm	predrilled screw holes / screws	6 / 6
function	HVAC Grille	inside width	59cm	free air flow	376.8sq cm
placement	Wall / Ceiling	frame width	3.5cm	price	\$124

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 04x30

Made to fit 75cm x 10cm duct



part number	RR-209 04x30	to cover duct size	75cm x 10cm	finishes available	14
UPC Code	N/A	outside height	15.2cm	weight / shipping weight	.68kg / 2.7kg
style	Arts & Crafts	outside width	81.3cm	thickness	.95cm
material	Urethane Resin	inside height	8.2cm	predrilled screw holes / screws	6 / 6
function	HVAC Grille	inside width	74.3cm	free air flow	473.5sq cm
placement	Wall / Ceiling	frame width	3.5cm	price	\$134

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 04x36

Made to fit 90cm x 10cm duct



<i>part number</i>	RR-209 04x36	<i>to cover duct size</i>	90cm x 10cm	<i>finishes available</i>	14
<i>UPC Code</i>	738759723771 AB	<i>outside height</i>	15.2cm	<i>weight / shipping weight</i>	.82kg / 4.1kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	96.5cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	8.2cm	<i>predrilled screw holes / screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	89.5cm	<i>free air flow</i>	569.7sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$149

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 06x06

Made to fit 15cm x 15cm duct



<i>part number</i>	RR-209 06x06	<i>to cover duct size</i>	15cm x 15cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236368014	<i>outside height</i>	20.3cm	<i>weight / shipping weight</i>	.27kg / 1.36kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	20.3cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	13.3cm	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	13.3cm	<i>free air flow</i>	138.4sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$69

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 06x08

Made to fit 20cm x 15cm duct



<i>part number</i>	RR-209 06x08	<i>to cover duct size</i>	20cm x 15cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236369455	<i>outside height</i>	20.3cm	<i>weight / shipping weight</i>	.31kg / 1.36kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	25.4cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	13.3cm	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	18.4cm	<i>free air flow</i>	189sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$74

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 06x10

Made to fit 25cm x 15cm duct



<i>part number</i>	RR-209 06x10	<i>to cover duct size</i>	25cm x 15cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236368083	<i>outside height</i>	20.3cm	<i>weight / shipping weight</i>	.41kg / 1.81kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	30.5cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	13.3cm	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	23.5cm	<i>free air flow</i>	240.6sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$79

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 06x12

Made to fit 30cm x 15cm duct



<i>part number</i>	RR-209 06x12	<i>to cover duct size</i>	30cm x 15cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236368021	<i>outside height</i>	20.3cm	<i>weight / shipping weight</i>	.45kg / 1.81kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	35.6cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	13.3cm	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	28.6cm	<i>free air flow</i>	291.6sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$84

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 06x14

Made to fit 35cm x 15cm duct



part number	RR-209 06x14	to cover duct size	35cm x 15cm	finishes available	14
UPC Code	731236368083	outside height	20.3cm	weight / shipping weight	.54kg / 2.27kg
style	Arts & Crafts	outside width	40.6cm	thickness	3/8"
material	Urethane Resin	inside height	13.3cm	predrilled screw holes / screws	4 / 4
function	HVAC Grille	inside width	33.6cm	free air flow	343.2sq cm
placement	Wall / Ceiling	frame width	3.5cm	price	\$89

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 06x16

Made to fit 40cm x 15cm duct



<i>part number</i>	RR-209 06x16	<i>to cover duct size</i>	40cm x 15cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236368144	<i>outside height</i>	20.3cm	<i>weight / shipping weight</i>	.59kg / 2.72kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	45.7cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	13.3cm	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	38.7cm	<i>free air flow</i>	394.8sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$99

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 06x20

Made to fit 50cm x 15cm duct



<i>part number</i>	RR-209 06x20	<i>to cover duct size</i>	50cm x 15cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236368038	<i>outside height</i>	20.3cm	<i>weight / shipping weight</i>	.68kg / 2.72kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	55.9cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	13.3cm	<i>predrilled screw holes / screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	48.9cm	<i>free air flow</i>	497.4sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$114

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 06x24

Made to fit 60cm x 15cm duct



<i>part number</i>	RR-209 06x24	<i>to cover duct size</i>	60cm x 15cm	<i>finishes available</i>	14
<i>UPC Code</i>	738759723979	<i>outside height</i>	20.3cm	<i>weight / shipping weight</i>	1.6lb / 6lbs
<i>style</i>	Arts & Crafts	<i>outside width</i>	66cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	13.3cm	<i>predrilled screw holes / screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	59cm	<i>free air flow</i>	600sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5	<i>price</i>	\$144

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 06x30

Made to fit 75cm x 15cm duct



part number	RR-209 06x30	to cover duct size	75cm x 15cm	finishes available	14
UPC Code	731236368045	outside height	20.3cm	weight / shipping weight	.91kg / 405kg
style	Arts & Crafts	outside width	81.3cm	thickness	.95cm
material	Urethane Resin	inside height	13.3cm	predrilled screw holes / screws	6 / 6
function	HVAC Grille	inside width	73.3cm	free air flow	753.5sq cm
placement	Wall / Ceiling	frame width	3.5cm	price	\$174

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 06x36

Made to fit 90cm x 15cm duct



<i>part number</i>	RR-209 06x36	<i>to cover duct size</i>	90cm x 15cm	<i>finishes available</i>	14
<i>UPC Code</i>	738759724037	<i>outside height</i>	20.3cm	<i>weight / shipping weight</i>	2.6kg / 6.4kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	96.5cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	13.3cm	<i>predrilled screw holes / screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	89.5cm	<i>free air flow</i>	907.7sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$199

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 08x08

Made to fit 20cm x 20cm duct



<i>part number</i>	RR-209 08x08	<i>to cover duct size</i>	20cm x 20cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236369141	<i>outside height</i>	25.4cm	<i>weight / shipping weight</i>	.36kg / 1.81kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	25.4cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	18.4cm	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	18.4cm	<i>free air flow</i>	259.3sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$84

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 08x10

Made to fit 25cm x 20cm duct



<i>part number</i>	RR-209 08x10	<i>to cover duct size</i>	25cm x 20cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236368007	<i>outside height</i>	25.4cm	<i>weight / shipping weight</i>	.45kg / 1.81kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	30.5cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	18.4cm	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	23.5cm	<i>free air flow</i>	330.3sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$89

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 08x12

Made to fit 30cm x 20cm duct



<i>part number</i>	RR-209 08x12	<i>to cover duct size</i>	30cm x 20cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236368403	<i>outside height</i>	25.4cm	<i>weight / shipping weight</i>	.54kg / 2.26kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	35.6cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	18.4cm	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	28.6cm	<i>free air flow</i>	400.6sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$94

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter, or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge. Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 08x14

Made to fit 35cm x 20cm duct



part number	RR-209 08x14	to cover duct size	35cm x 20cm	finishes available	14
UPC Code	738759724150	outside height	25.4cm	weight / shipping weight	.63kg / 2.72kg
style	Arts & Crafts	outside width	40.6cm	thickness	.95cm
material	Urethane Resin	inside height	18.4cm	predrilled screw holes / screws	4 / 4
function	HVAC Grille	inside width	33.6cm	free air flow	471sq cm
placement	Wall / Ceiling	frame width	3.5cm	price	\$99

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 08x16

Made to fit 40cm x 20cm duct



part number	RR-209 08x16	to cover duct size	40cm x 20cm	finishes available	14
UPC Code	731236368144	outside height	25.4cm	weight / shipping weight	.73kg / 3.1kg
style	Arts & Crafts	outside width	45.7cm	thickness	.95cm
material	Urethane Resin	inside height	18.4cm	predrilled screw holes / screws	4 / 4
function	HVAC Grille	inside width	38.6cm	free air flow	538sq cm
placement	Wall / Ceiling	frame width	3.5cm	price	\$109

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 08x20

Made to fit 50cm x 20cm duct



part number	RR-209 08x20	to cover duct size	50cm x 20cm	finishes available	14
UPC Code	731236369820	outside height	25.4cm	weight / shipping weight	.82kg / 3.6kg
style	Arts & Crafts	outside width	55.9cm	thickness	.95cm
material	Urethane Resin	inside height	18.4cm	predrilled screw holes / screws	4 / 4
function	HVAC Grille	inside width	38.9cm	free air flow	682sq cm
placement	Wall / Ceiling	frame width	3.5cm	price	\$134

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 08x24

Made to fit 60cm x 20cm duct



<i>part number</i>	RR-209 08x24	<i>to cover duct size</i>	60cm x 20cm	<i>finishes available</i>	14
<i>UPC Code</i>	738759724181	<i>outside height</i>	25.4cm	<i>weight / shipping weight</i>	.91kg / 3.62kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	66cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	18.4cm	<i>predrilled screw holes / screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	59cm	<i>free air flow</i>	823.2sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$169

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 08x30

Made to fit 75cm x 20cm duct



part number	RR-209 08x30	to cover duct size	75cm x 20cm	finishes available	14
UPC Code	731236368205	outside height	25.4cm	weight / shipping weight	1kg / 3.9kg
style	Arts & Crafts	outside width	91.3cm	thickness	.95cm
material	Urethane Resin	inside height	18.4cm	predrilled screw holes / screws	6 / 6
function	HVAC Grille	inside width	73.3cm	free air flow	1034.2sq cm
placement	Wall / Ceiling	frame width	3.5cm	price	\$199

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 08x36

Made to fit 90cm x 20cm duct



<i>part number</i>	RR-209 08x36	<i>to cover duct size</i>	90cm x 20cm	<i>finishes available</i>	14
<i>UPC Code</i>	N/A	<i>outside height</i>	25.4cm	<i>weight / shipping weight</i>	1.25kg / 4.4kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	96.5cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	18.4cm	<i>predrilled screw holes / screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	89.5cm	<i>free air flow</i>	1245.8sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$234

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 10x10

Made to fit 25cm x 25cm duct



<i>part number</i>	RR-209 10x10	<i>to cover duct size</i>	25cm x 25cm	<i>finishes available</i>	14
<i>UPC Code</i>	738759724242	<i>outside height</i>	30.5cm	<i>weight / shipping weight</i>	.5kg / 1.8kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	30.5cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	23.5cm	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	23.5cm	<i>free air flow</i>	419sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$99

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 10x12

Made to fit 30cm x 25cm duct



<i>part number</i>	RR-209 10x12	<i>to cover duct size</i>	30cm x 25cm	<i>finishes available</i>	14
<i>UPC Code</i>	738759724273	<i>outside height</i>	25.4cm	<i>weight / shipping weight</i>	.55kg / 2kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	35.6cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	23.4cm	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	28.6cm	<i>free air flow</i>	509sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$104

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 10x14

Made to fit 35cm x 25cm duct



<i>part number</i>	RR-209 10x14	<i>to cover duct size</i>	35cm x 25cm	<i>finishes available</i>	14
<i>UPC Code</i>	738759724303	<i>outside height</i>	30.5cm	<i>weight / shipping weight</i>	.59kg / 2.27kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	40.6cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	23.5cm	<i>predrilled screw holes / screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	33.6cm	<i>free air flow</i>	598.7sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$114

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 10x16

Made to fit 40cm x 25cm duct



part number	RR-209 10x16	to cover duct size	40cm x 25cm	finishes available	14
UPC Code	738759724334	outside height	30.5cm	weight / shipping weight	.68kg / 2.72kg
style	Arts & Crafts	outside width	45.7cm	thickness	.95cm
material	Urethane Resin	inside height	23.5cm	predrilled screw holes / screws	4 / 4
function	HVAC Grille	inside width	38.7cm	free air flow	688.4sq cm
placement	Wall / Ceiling	frame width	3.5cm	price	\$124

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 10x20

Made to fit 50cm x 25cm duct



<i>part number</i>	RR-209 10x20	<i>to cover duct size</i>	50cm x 25cm	<i>finishes available</i>	14
<i>UPC Code</i>	738759724365	<i>outside height</i>	30.5cm	<i>weight / shipping weight</i>	1kg / 3.6kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	55.9cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	23.5cm	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	48.9cm	<i>free air flow</i>	867.1sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$156

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 10x24

Made to fit 60cm x 25cm duct



<i>part number</i>	RR-209 10x24	<i>to cover duct size</i>	60cm x 25cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236369837	<i>outside height</i>	30.5cm	<i>weight / shipping weight</i>	1.13kg / 4kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	66cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	23.5cm	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	59cm	<i>free air flow</i>	1046.4sqcm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$184

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 10x30

Made to fit 75cm x 25cm duct



part number	RR-209 10x30	to cover duct size	75cm x 25cm	finishes available	14
UPC Code	731236369844	outside height	30.5cm	weight / shipping weight	1.27kg / 4.5kg
style	Arts & Crafts	outside width	81.3cm	thickness	.95cm
material	Urethane Resin	inside height	23.5cm	predrilled screw holes / screws	6/ 6
function	HVAC Grille	inside width	74.3cm	free air flow	1314.8sq cm
placement	Wall / Ceiling	frame width	3.33cm	price	\$239

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM


INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 10x36

Made to fit 90cm x 25cm duct

Not Currently Available



<i>part number</i>	RR-209 10x36	<i>to cover duct size</i>	90cm x 20cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236369851	<i>outside height</i>	30.5cm	<i>weight / shipping weight</i>	1.45kg / 7.26kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	96.5cm	<i>thickness</i>	3/8"
<i>material</i>	Urethane Resin	<i>inside height</i>	23.5cm	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	89.5cm	<i>free air flow</i>	1585.2sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$264

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 12x12

Made to fit 30cm x 30cm duct



<i>part number</i>	RR-209 12x12	<i>to cover duct size</i>	30cm x 30cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236369868	<i>outside height</i>	35.6cm	<i>weight / shipping weight</i>	.63kg / 2.7kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	35.6cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	28.6cm	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	28.6cm	<i>free air flow</i>	617.4sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$134

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 12x16

Made to fit 40cm x 30cm duct



<i>part number</i>	RR-209 12x16	<i>to cover duct size</i>	40cm x 30cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236369875	<i>outside height</i>	35.6cm	<i>weight / shipping weight</i>	.77kg /3kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	45.7cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	28.6cm	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	38.7cm	<i>free air flow</i>	834.8sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$149

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 12x20

Made to fit 50cm x 30cm duct



part number	RR-209 12x20	to cover duct size	50cm x 30cm	finishes available	14
UPC Code	731236369882	outside height	35.6cm	weight / shipping weight	1.09kg / 3.6kg
style	Arts & Crafts	outside width	55.9cm	thickness	.95cm
material	Urethane Resin	inside height	28.6cm	predrilled screw holes / screws	6/ 6
function	HVAC Grille	inside width	48.9cm	free air flow	1052.2sq cm
placement	Wall / Ceiling	frame width	3.5cm	price	\$164

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 12x24

Made to fit 60cm x 30cm duct



<i>part number</i>	RR-209 12x24	<i>to cover duct size</i>	60cm x 30cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236369899	<i>outside height</i>	35.6cm	<i>weight / shipping weight</i>	1.27kg / 4.5kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	66cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	28.6cm	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	59cm	<i>free air flow</i>	1269.7sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$229

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 12x30

Made to fit 75cm x 30cm duct



<i>part number</i>	RR-209 12x30	<i>to cover duct size</i>	75cm x 30cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236369905	<i>outside height</i>	35.6cm	<i>weight / shipping weight</i>	1.5kg / 6.35kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	81.3cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	28.6cm	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	74.3cm	<i>free air flow</i>	1595.5sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$274

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 12x36

Made to fit 90cm x 30cm duct



part number	RR-209 12x36	to cover duct size	90cm x 30cm	finishes available	14
UPC Code	731236369912	outside height	35.6cm	weight / shipping weight	1.63kg / 7.25kg
style	Arts & Crafts	outside width	96.5cm	thickness	.95cm
material	Urethane Resin	inside height	28.6cm	free air flow	1921.3sq cm
function	HVAC Grille	inside width	89.5cm	predrilled screw holes / screws	6/ 6
placement	Wall / Ceiling	frame width	3.5cm	price	\$299

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 14x14

Made to fit 35cm x 35cm duct



<i>part number</i>	RR-209 14x14	<i>to cover duct size</i>	35cm x 35cm	<i>finishes available</i>	14
<i>UPC Code</i>		<i>outside height</i>	40.6cm	<i>weight / shipping weight</i>	.77kg / 2.8kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	40.6cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	33.6cm	<i>free air flow</i>	854.2sq cm
<i>function</i>	HVAC Grille	<i>inside width</i>	33.6cm	<i>predrilled screw holes / screws</i>	6/ 6
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$159

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 14x20

Made to fit 50cm x 35cm duct



<i>part number</i>	RR-209 14x20	<i>to cover duct size</i>	50cm x 35cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236369936	<i>outside height</i>	40.6cm	<i>weight / shipping weight</i>	1.27kg / 3.2kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	55.9cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	33.6cm	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	48.9cm	<i>free air flow</i>	1237.4sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$199

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 14x24

Made to fit 60cm x 35cm duct



<i>part number</i>	RR-209 14x24	<i>to cover duct size</i>	60cm x 35cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236369929	<i>outside height</i>	40.6cm	<i>weight / shipping weight</i>	1.45kg / 5kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	66cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	33.6cm	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	59cm	<i>free air flow</i>	1492.9sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$249

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 14x30

Made to fit 75cm x 35cm duct



<i>part number</i>	RR-209 14x30	<i>to cover duct size</i>	75cm x 35cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236368106	<i>outside height</i>	40.6cm	<i>weight / shipping weight</i>	1.63kg / 7.26kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	81.3cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	33.6cm	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	74.3cm	<i>free air flow</i>	1875.5sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$289

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM


INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 14x36

Made to fit 90cm x 35cm duct

Not Currently Available



<i>part number</i>	RR-209 14x36	<i>to cover duct size</i>	90cm x 35cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236369660	<i>outside height</i>	40.6cm	<i>weight / shipping weight</i>	1.9kg / 9kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	96.5cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	33.6cm	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	89.5cm	<i>free air flow</i>	2258.7sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$324

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 16x16

Made to fit 40cm x 40cm duct



<i>part number</i>	RR-209 16x16	<i>to cover duct size</i>	40cm x 40cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236368120	<i>outside height</i>	45.8cm	<i>weight / shipping weight</i>	1.08kg / 3.75kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	45.8cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	38.7cm	<i>predrilled screw holes / screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	38.7cm	<i>free air flow</i>	1128.4sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$189

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 16x20

Made to fit 50cm x 40cm duct



<i>part number</i>	RR-209 16x20	<i>to cover duct size</i>	50cm x 40cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236369943	<i>outside height</i>	45.7cm	<i>weight / shipping weight</i>	1.36kg / 4kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	55.9cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	38.7cm	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	48.9cm	<i>free air flow</i>	1421.9sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$214

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 16x24

Made to fit 60cm x 40cm duct



part number	RR-209 16x24	to cover duct size	60cm x 40cm	finishes available	14
UPC Code	731236369950	outside height	45.7cm	weight / shipping weight	1.59kg / 4.5kg
style	Arts & Crafts	outside width	66cm	thickness	.95cm
material	Urethane Resin	inside height	38.7cm	predrilled screw holes / screws	6/ 6
function	HVAC Grille	inside width	59cm	free air flow	1715.5sq cm
placement	Wall / Ceiling	frame width	3.5cm	price	\$269

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 16x30

Made to fit 75cm x 40cm duct



<i>part number</i>	RR-209 16x30	<i>to cover duct size</i>	75cm x 40cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236369967	<i>outside height</i>	45.7cm	<i>weight / shipping weight</i>	1.81kg / 5.4kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	81.3cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	38.7cm	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	73.3cm	<i>free air flow</i>	2156.1sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$319

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 16x36

Made to fit 90cm x 40cm duct



part number	RR-209 16x36	to cover duct size	90cm x 40.6cm	finishes available	14
UPC Code	731236369653	outside height	45.7cm	weight / shipping weight	4.6kg / 11.7kg
style	Arts & Crafts	outside width	96.5cm	thickness	.95cm
material	Urethane Resin	inside height	38.7cm	predrilled screw holes / screws	6/ 6
function	HVAC Grille	inside width	89.5cm	free air flow	2596.8sq cm
placement	Wall / Ceiling	frame width	3.5cm	price	\$374

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge. Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 18x18

Made to fit 45cm x 45cm duct



<i>part number</i>	RR-209 18x18	<i>to cover duct size</i>	45cm x 45cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236369974	<i>outside height</i>	50.8cm	<i>weight / shipping weight</i>	1.45kg / 4.5kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	50.8cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	43.8cm	<i>predrilled screw holes / screws</i>	6/ 6
<i>function</i>	HVAC Grille	<i>inside width</i>	43.8cm	<i>free air flow</i>	1441.3sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.50cm	<i>price</i>	\$219

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	181 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 20x20

Made to fit 50cm x 50cm duct



<i>part number</i>	RR-209 20x20	<i>to cover duct size</i>	50cm x 50cm	<i>finishes available</i>	14
<i>UPC Code</i>	731236369684	<i>outside height</i>	55.9cm	<i>weight / shipping weight</i>	1.59kg / 6.35kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	55.9cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	48.9cm	<i>predrilled screw holes / screws</i>	8/ 8
<i>function</i>	HVAC Grille	<i>inside width</i>	48.9cm	<i>free air flow</i>	1792.3sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$269

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 20x24

Made to fit 60cm x 50cm duct



<i>part number</i>	RR-209 20x24	<i>to cover duct size</i>	60cm x 50cm	<i>finishes available</i>	14
<i>UPC Code</i>	738759724754	<i>outside height</i>	55.9cm	<i>weight / shipping weight</i>	1.81kg / 7kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	66cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	48.9cm	<i>predrilled screw holes / screws</i>	8/ 8
<i>function</i>	HVAC Grille	<i>inside width</i>	59cm	<i>free air flow</i>	2161.9sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$324

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 20x30

Made to fit 75cm x 50cm duct



<i>part number</i>	RR-209 20x30	<i>to cover duct size</i>	75cm x 50cm	<i>finishes available</i>	11
<i>UPC Code</i>	738759724785	<i>outside height</i>	55.9cm	<i>weight / shipping weight</i>	2kg / 9kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	81.3cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	48.9cm	<i>predrilled screw holes / screws</i>	8/ 8
<i>function</i>	HVAC Grille	<i>inside width</i>	74.3cm	<i>free air flow</i>	2717.4sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$389

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 20x36

Made to fit 90cm x 50cm duct



<i>part number</i>	RR-209 20X36	<i>to cover duct size</i>	90cm x 50cm	<i>finishes available</i>	14
<i>UPC Code</i>	738759724808	<i>outside height</i>	55.9cm	<i>weight / shipping weight</i>	2.27kg / 13.2kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	96.5cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	48.9cm	<i>predrilled screw holes / screws</i>	8/ 8
<i>function</i>	HVAC Grille	<i>inside width</i>	89.5cm	<i>free air flow</i>	3233.6sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$449

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 24x24

Made to fit 60cm x 60cm duct



<i>part number</i>	RR-209 24x24	<i>to cover duct size</i>	60cm x 60cm	<i>finishes available</i>	14
<i>UPC Code</i>	738759724815	<i>outside height</i>	66cm	<i>weight / shipping weight</i>	2.27kg / 10kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	66cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	59cm	<i>predrilled screw holes / screws</i>	8/ 8
<i>function</i>	HVAC Grille	<i>inside width</i>	59cm	<i>free air flow</i>	2608.4sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$389

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 24x30

Made to fit 75cm x 60cm duct



<i>part number</i>	RR-209 24x30	<i>to cover duct size</i>	75cm x 60cm	<i>finishes available</i>	14
<i>UPC Code</i>	738759723665	<i>outside height</i>	66cm	<i>weight / shipping weight</i>	2.54kg / 12kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	81.3cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	59cm	<i>predrilled screw holes / screws</i>	8/ 8
<i>function</i>	HVAC Grille	<i>inside width</i>	74.3cm	<i>free air flow</i>	3278sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$449

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



BEAUX-ARTS CLASSIC PRODUCTS


WWW.BEAUX-ARTSCCLASSICPRODUCTS.COM

INFO@BEAUX-ARTSCCLASSICPRODUCTS.COM

410-867-0790

Arts & Crafts Style Grille: RR-209 24x36

Made to fit 90cm x 60cm duct



<i>part number</i>	RR-209 24x36	<i>to cover duct size</i>	90cm x 60cm	<i>finishes available</i>	14
<i>UPC Code</i>	738759723634	<i>outside height</i>	66cm	<i>weight / shipping weight</i>	2.95kg / 15.4kg
<i>style</i>	Arts & Crafts	<i>outside width</i>	96.5cm	<i>thickness</i>	.95cm
<i>material</i>	Urethane Resin	<i>inside height</i>	59cm	<i>predrilled screw holes / screws</i>	8/ 8
<i>function</i>	HVAC Grille	<i>inside width</i>	89.5cm	<i>free air flow</i>	3947.7sq cm
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	3.5cm	<i>price</i>	\$499

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.