

WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Grilles to cover duct sizes 4" Tall, 6" Tall & 8" Tall

Louis XIV	duct	size	total	size	depth	weight	weight	free air flow		price
part number	height	length	height	length	thickness	actual	shipping	sq inches	%	current
RR-203 04x08LT	4	8	6	10	0.4	0.35	2	15.7	63	\$ 64
RR-203 04x10LT	4	10	6	12	0.4	0.5	3	19.9	63	\$ 69
RR-203 04x12LT	4	12	6	14	0.4	0.6	3	24.2	63	\$ 74
RR-203 04x14LT	4	14	6	16	0.4	0.7	4	28.4	63	\$ 79
RR-203 04x16LT	4	16	6	18	0.4	1	4	32.7	63	\$89
RR-209 04x20LT	4	20	6	22	0.425	1.75	7	41.2	63	\$ 104
RR-209 04x24LT	4	24	6	26	0.425	2.25	8	49.7	63	\$ 129
RR-209 04x30LT	4	30	6	32	0.425	0.9	4	62.5	63	\$ 139
RR-209 06x06LT	6	6	8	8	0.4	0.5	3	18.2	63	\$ 69
RR-209 06x08LT	6	8	8	10	0.4	0.7	3	25	63	\$ 74
RR-209 06x10LT	6	10	8	12	0.4	0.8	3	31.7	63	\$ 79
RR-209 06x12LT	6	12	8	14	0.4	1	4	38.5	63	\$ 84
RR-203 06x14LT	6	14	8	16	0.4	1.25	5	45.3	63	\$ 89
RR-203 06x16LT	6	18	8	18	.4	1.5	6	52	63	\$99
RR-203 06x20LT	6	20	8	24	.4	2	7	65.6	63	\$119
RR-203 06x24LT	6	24	8	26	0.425	2.375	8	79.6	63	\$149
RR-203 06x30LT	6	30	8	32	0.425	2.75	10	99.5	63	\$ 179


Top Row: RR-203 04x20LT RR-203 04x14LT RR-203 04x10LT

Bottom Row: RR-203 06x30LT RR-203 06x14LT













WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Grilles to cover duct sizes, 8" Tall & 10" Tall

Louis XIV	duct	size	total	size	depth	weight	weight	free air flow		price
part number	height	length	height	length	thickness	actual	shipping	sq inches	%	current
RR-203 08x08LT	8	8	10	10	0.4	.8	4	34.3	63	\$ 89
RR-203 08x10LT	8	10	10	12	0.4	1	4	43.6	63	\$94
RR-203 08x12LT	8	12	10	14	0.4	1.25	5	52.9	63	\$ 99
RR-203 08x14LT	8	14	10	16	0.4	1.5	6	62.1	63	\$ 104
RR-203 08x16LT	8	16	10	18	0.4	1.75	6	71.4	63	\$109
RR-203 08x18LT	8	18	10	20	0.4	2	7	80.7	63	\$129
RR-203 08x20LT	8	20	10	22	0.4	2.5	8	90	63	\$ 139
RR-203 08x24LT	8	24	10	26	.425	2.9	11	108.6	63	\$179
RR-203 08x30LT	8	30	10	32	0.425	3.2	13	136.5	63	\$ 219
RR-203 10x10LT	10	10	12	12	0.4	1.2	5	55.4	63	\$ 104
RR-203 10x14LT	10	14	12	16	0.4	1.6	6	79	63	\$ 119
RR-203 10x16LT	10	16	12	18	0.425	1.9	8	90.8	63	\$134
RR-203 10x18LT	10	18	12	20	.425	2.4	10	102.6	63	\$154
RR-203 10x20LT	10	20	12	22	.425	2.7	11	114.4	63	\$169
RR-203 10x24LT	10	24	12	26	.425	3	12.5	138	63	\$199
RR-203 10x30LT	10	24	12	26	0.425	3.6	14	173.5	63	\$229







Left Top: RR-203 08x14LT

Left Bottom: RR-203 10x20LT

Right Top: RR-203 08x30T

Right Bottom: RR-203





WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Grille	s to cove	er duc	t sizes 12	" Tal	l to 24"	' Tall x	30 W	ide		
Louis XIV	duct	size	total	size	depth	weight	weight	free air flow		price
part number	height	length	height	length	thickness	actual	shipping	sq inches	%	current
RR-203 12x12LT	12	12	14	14	0.4	1.6	6	81.5	63	\$144
RR-203 12x16LT	12	16	14	18	0.425	2.1	8	110.2	63	\$159
RR-203 12x20LT	12	20	14	22	0.425	2.7	11	138.8	63	\$179
RR-203 12x24LT	12	24	14	26	0.425	3.25	11	167.5	63	\$239
RR-203 12x30LT	12	30	14	32	0.425	3.75	15	210.5	63	\$289
RR-203 14x14LT	14	14	16	16	0.4	2.25	8	112.7	63	\$169
RR-203 14x20LT	14	20	16	22	0.425	2.8	10	163.3	63	\$209
RR-203 14x24LT	14	24	16	26	0.425	3.5	12	197	63	\$259
RR-203 14x30LT	14	30	16	32	0.425	4	16	247.5	63	\$299
RR-203 16x16LT	16	16	18	18	0.425	3	11	148.9	63	\$199
RR-203 16x20LT	16	20	18	22	0.425	3.5	12	187.7	63	\$229
RR-203 16x24LT	16	24	18	26	0.425	4	16	226.4	63	\$279
RR-203 16x30LT	16	30	18	32	0.425	4.5	20	284.5	63	\$339
RR-203 18x18LT	18	18	20	20	.425	3.5	12	190.2	63	\$234
RR-203 20x12LT	20	12	22	14	0.425	2.8	10	138.8	63	\$179
RR-203 20x14LT	20	14	22	16	0.425	3.25	12	163.3	63	\$209
RR-209 20x16LT	20	16	22	18	.0425	3.75	15	187.7	63	\$229
RR-203 20x20LT	20	20	22	22	0.425	5	20	236.5	63	\$279
RR-203 20x24LT	20	24	22	26	0.425	6	22	285.3	63	\$339
RR-203 20x30LT	20	30	22	32	0.45	7	24	358.6	63	\$399
RR-203 24x14LT	24	14	26	16	0.45	3.5	12	197	63	\$259
RR-203 24x16LT	24	16	26	18	0.45	3.75	15	226.4	63	\$284
RR-203 24x20LT	24	20	26	22	0.45	5.7	19	285.3	63	\$339
RR-203 24x24LT	24	24	26	26	0.45	7	24	344.2	63	\$399
RR-203 24x30LT	24	30	26	32	0.45	8	40	432.6	63	\$449
FV-203 Foundation Vent	8	16	14	20	0.875	6	12	62.1	63	\$209
RR-211 Round Grille	8"diameter	na	12"diameter	na	0.375	1.2	5	37.2	74	\$99




Left: RR-203 20x14LT


Center: LR-203 20x30LT

Right RR-203 20x20LT

Bottom: RR-203 10x16LT










WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 04x08LT



part number	RR-203 04x08LT	to cover duct size	04" x 08"	finishes available	13
UPC Code	731236368519	outside height	6"	weight /shipping weight	.5lb / 3lbs
style	Louis XIV	outside width	10"	thickness	.4"
material	Urethane Resin	inside height	3-3/8"	predrilled screw holes/ Screws	4 /4
function	HVAC Grille	inside width	7-3/8"	Free air flow	15.7 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$64

10"


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 04x10LT



12"

part number	RR-203 04x10LT	to cover duct size	04" x 10"	finishes available	13
UPC Code	731236369387	outside height	6"	weight /shipping weight	.6lb / 3lbs
style	Louis XIV	outside width	12"	thickness	.4"
material	Urethane Resin	inside height	3-3/8"	predrilled screw holes/ Screws	4 /4
function	HVAC Grille	inside width	9-3/8"	Free air flow	19.9 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$69


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 04x12LT



14"

part number	RR-203 04x12LT	to cover duct size	04" x 12"	finishes available	13
UPC Code	731236368397	outside height	6"	weight /shipping weight	.8lb / 4lbs
style	Louis XIV	outside width	14"	thickness	.4"
material	Urethane Resin	inside height	3-3/8"	predrilled screw holes/ Screws	4 /4
function	HVAC Grille	inside width	11-3/8"	Free air flow	24.2 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$74


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 04x14LT



part number	RR-203 04x14LT	to cover duct size	04" x 14"	finishes available	13
UPC Code	731236368489	outside height	6"	weight /shipping weight	1lb / 4lbs
style	Louis XIV	outside width	16"	thickness	.4"
material	Urethane Resin	inside height	3-3/8"	predrilled screw holes/ Screws	4 /4
function	HVAC Grille	inside width	13-3/8"	Free air flow	28.4 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$79


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 04x16LT



part number	RR-203 04x16LT	to cover duct size	04" x 16"	finishes available	13
UPC Code		outside height	6"	weight / shipping weight	1.25lb / 5lbs
style	Louis XIV	outside width	16"	thickness	.4"
material	Urethane Resin	inside height	3-3/8"	predrilled screw holes/ Screws	4 /4
function	HVAC Grille	inside width	15-3/8"	Free air flow	32.7 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$89


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 04x20LT



part number	RR-203 04x20LT	to cover duct size	04" x 20"	finishes available	13
UPC Code		outside height	6"	weight /shipping weight	1.4lb / 6lbs
style	Louis XIV	outside width	22"	thickness	.4"
material	Urethane Resin	inside height	3-3/8"	predrilled screw holes/ Screws	4 /4
function	HVAC Grille	inside width	19-3/8"	Free air flow	sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$104


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 04x24LT



part number	RR-203 04x24LT	to cover duct size	04" x 24"	finishes available	13
UPC Code	731236369523	outside height	6"	weight /shipping weight	1.7lbs/ 5lbs
style	Louis XIV	outside width	26"	thickness	.42"
material	Urethane Resin	inside height	3-3/8"	predrilled screw holes/ Screws	6/6
function	HVAC Grille	inside width	23-3/8"	Free air flow	49.7 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$129

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 04x30LT



part number	RR-203 04x30LT	to cover duct size	04" x 30"	finishes available	13
UPC Code	731236369561	outside height	6"	weight /shipping weight	2lbs/ 7lbs
style	Louis XIV	outside width	32"	thickness	.45"
material	Urethane Resin	inside height	3-3/8"	predrilled screw holes/ Screws	6/6
function	HVAC Grille	inside width	29-3/8"	Free air flow	62.5 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$139


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 06x06LT



part number	RR-203 06x06LT	to cover duct size	06" x 06"	finishes available	13
UPC Code	731236369608	outside height	8"	weight /shipping weight	.5lb / 2lbs
style	Louis XIV	outside width	8"	thickness	.4"
material	Urethane Resin	inside height	5-3/8"	predrilled screw holes/ Screws	4 /4
function	HVAC Grille	inside width	5-3/8"	Free air flow	18.2 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$69


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 06x08LT



part number	RR-203 06x08LT	to cover duct size	06" x 08"	finishes available	13
UPC Code	731236369417	outside height	8"	weight /shipping weight	.7lb / 3lbs
style	Louis XIV	outside width	10"	thickness	.4"
material	Urethane Resin	inside height	5-3/8"	predrilled screw holes/ Screws	4 /4
function	HVAC Grille	inside width	7-3/8"	Free air flow	25 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$74

10"


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 06x10LT



part number RR-203 06x10LT to cover duct size 06" x 10" finishes available 13

UPC Code 731236369455 outside height 8" weight / shipping weight .8lb / 3lbs

12" .4" Louis XIV outside width thickness style material Urethane Resin inside height 5-3/8" predrilled screw holes/ Screws 4 /4 9-3/8" function **HVAC Grille** inside width Free air flow 31.7 sq inch placement | Wall / Ceiling frame width 1-5/16" \$79 price

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 06x12LT



14"

part number	RR-203 06x12LT	to cover duct size	06" x 12"	finishes available	13
UPC Code	731236369233	outside height	8"	weight /shipping weight	1lb / 4lbs
style	Louis XIV	outside width	14"	thickness	.4"
material	Urethane Resin	inside height	5-3/8"	predrilled screw holes/ Screws	4 /4
function	HVAC Grille	inside width	11-3/8"	Free air flow	38.5 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$84


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 06x14LT



16" → → 4" ←

part number	RR-203 06x14LT	to cover duct size	06" x 14"	finishes available	13
UPC Code	731236369103	outside height	8"	weight / shipping weight	1.25lb / 5lbs
style	Louis XIV	outside width	16"	thickness	.4"
material	Urethane Resin	inside height	5-3/8"	predrilled screw holes/ Screws	4 /4
function	HVAC Grille	inside width	13-3/8"	Free air flow	45.3 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$89

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 06x16LT

Not available at this time

part number	RR-203 06x16LT	to cover duct size	06" x 16"	finishes available	13
UPC Code		outside height	8"	weight /shipping weight	1.5lb / 6lbs
style	Louis XIV	outside width	18"	thickness	.4"
material	Urethane Resin	inside height	5-3/8"	predrilled screw holes/ Screws	4 /4
function	HVAC Grille	inside width	15-3/8"	Free air flow	52 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$99


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 06x20LT



part number	RR-203 06x20LT	to cover duct size	06" x 20"	finishes available	13
UPC Code		outside height	8"	weight /shipping weight	2lbs / 7lbs
style	Louis XIV	outside width	22"	thickness	.4"
material	Urethane Resin	inside height	5-3/8"	predrilled screw holes/ Screws	6 /6
function	HVAC Grille	inside width	19-3/8"	Free air flow	65.6 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$119


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 06x24LT



part number	RR-203 06x24LT	to cover duct size	06" x 24"	finishes available	13
UPC Code	70697069631	outside height	8"	weight / shipping weight	2.375lb / 8lbs
style	Louis XIV	outside width	26"	thickness	.42"
material	Urethane Resin	inside height	5-3/8"	predrilled screw holes/ Screws	6/6
function	HVAC Grille	inside width	23-3/8"	Free air flow	79.2 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$149


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 06x30LT



part number	RR-203 06x30LT	to cover duct size	06" x 30"	finishes available	13
UPC Code	731236369691	outside height	8"	weight / shipping weight	2.75lb / 10lbs
style	Louis XIV	outside width	32"	thickness	.42"
material	Urethane Resin	inside height	5-3/8"	predrilled screw holes/ Screws	6/6
function	HVAC Grille	inside width	29-3/8"	Free air flow	99.5 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$179

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 08x08LT



part number	RR-203 08x08LT	to cover duct size	08" x 08"	finishes available	13
UPC Code	731236369141	outside height	10"	weight /shipping weight	.8lb / 4lbs
style	Louis XIV	outside width	10"	thickness	.4"
material	Urethane Resin	inside height	7-3/8"	predrilled screw holes/ Screws	4 /4
function	HVAC Grille	inside width	7-3/8"	Free air flow	34.3 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$89


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 08x10LT



part number	RR-203 08x10LT	to cover duct size	8" x 10"	finishes available	13
UPC Code		outside height	10"	weight /shipping weight	1lb / 4lbs
style	Louis XIV	outside width	12"	thickness	.4"
material	Urethane Resin	inside height	7-3/8"	predrilled screw holes/ Screws	4 /4
function	HVAC Grille	inside width	9-3/8"	Free air flow	sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$94

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 08x12LT



part number	RR-203 08x12LT	to cover duct size	08" x 12"	finishes available	13
UPC Code	731236368403	outside height	10"	weight /shipping weight	1.25lb / 5lbs
style	Louis XIV	outside width	14"	thickness	.4"
material	Urethane Resin	inside height	7-3/8"	predrilled screw holes/ Screws	4 /4
function	HVAC Grille	inside width	11-3/8"	Free air flow	52.9 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$99

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



10"

BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 08x14LT



16" → → 4" ←


part number	RR-203 08x14LT	to cover duct size	08" x 14"	finishes available	13
UPC Code	731236368236	outside height	10"	weight /shipping weight	1.5 lb / 6 lbs
style	Louis XIV	outside width	16"	thickness	.4"
material	Urethane Resin	inside height	7-3/8"	predrilled screw holes/ Screws	4 /4
function	HVAC Grille	inside width	13-3/8"	Free air flow	62.1 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$104

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790




Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 08x18LT



part number	RR-203 08x18LT	to cover duct size	08" x 18"	finishes available	13
UPC Code		outside height	10"	weight /shipping weight	2b / 7lbs
style	Louis XIV	outside width	20"	thickness	.4"
material	Urethane Resin	inside height	7-3/8"	predrilled screw holes/ Screws	6/6
function	HVAC Grille	inside width	17-3/8"	Free air flow	80.7 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$129


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 08x20LT



part number	RR-203 08x20LT	to cover duct size	08" x 20"	finishes available	13
UPC Code	731236368625	outside height	10"	weight /shipping weight	2.5b / 9lbs
style	Louis XIV	outside width	22"	thickness	.4"
material	Urethane Resin	inside height	7-3/8"	predrilled screw holes/ Screws	6 /6
function	HVAC Grille	inside width	19-3/8"	Free air flow	90 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$139


Material Technical Overview	Tensile Strength	Flexural Strength	exural Strength Compressive Strength		Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 08x24LT



part number	RR-203 08x24LT	to cover duct size	08" x 24"	finishes available	13
UPC Code		outside height	10"	weight /shipping weight	2.5b / 9lbs
style	Louis XIV	outside width	26"	thickness	.4"
material	Urethane Resin	inside height	7-3/8"	predrilled screw holes/ Screws	6/6
function	HVAC Grille	inside width	23-3/8"	Free air flow	108.6 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$179


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 08x30LT



part number	RR-203 08x30LT	to cover duct size	08" x 30"	finishes available	13
UPC Code	731236368625	outside height	10"	weight /shipping weight	3.2b /12lbs
style	Louis XIV	outside width	32"	thickness	.45"
material	Urethane Resin	inside height	7-3/8"	predrilled screw holes/ Screws	6 /6
function	HVAC Grille	inside width	29-3/8"	Free air flow	136.5 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$219


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 10x10LT



part number	RR-203 10x10LT	to cover duct size	10" x 10"	finishes available	13
UPC Code	731236368663	outside height	12"	weight /shipping weight	1.2lb / 5lbs
style	Louis XIV	outside width	12"	thickness	.4"
material	Urethane Resin	inside height	9-3/8"	predrilled screw holes/ Screws	4 /4
function	HVAC Grille	inside width	9-3/8"	Free air flow	55.4 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$104

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790



part number	RR-203 10x14LT	to cover duct size	10" x 14"	finishes available	13
UPC Code	731236368700	outside height	12"	weight /shipping weight	1.6lbs / 6lbs
style	Louis XIV	outside width	16"	thickness	.4"
material	Urethane Resin	inside height	9-3/8"	predrilled screw holes/ Screws	4 /4
function	HVAC Grille	inside width	13-3/8"	Free air flow	79 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$119


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 10x16LT



part number	RR-203 10x16LT	to cover duct size	10" x 16"	finishes available	13
UPC Code		outside height	12"	weight / shipping weight	1.8lbs / 7lbs
style	Louis XIV	outside width	18"	thickness	.4"
material	Urethane Resin	inside height	9-3/8"	predrilled screw holes/ Screws	4 /4
function	HVAC Grille	inside width	15-3/8"	Free air flow	90.8sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$134


Material Technical Overview	Tensile Strength	Flexural Strength	xural Strength Compressive Strength		Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 10x18LT



part number	RR-203 10x18LT	to cover duct size	10" x 18"	finishes available	13
UPC Code		outside height	12"	weight /shipping weight	2.4lbs / 10lbs
style	Louis XIV	outside width	20"	thickness	.4"
material	Urethane Resin	inside height	9-3/8"	predrilled screw holes/ Screws	6 /6
function	HVAC Grille	inside width	17-3/8"	Free air flow	102.6 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$154


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 10x20LT



part number	RR-203 10x20LT	to cover duct size	10" x 20"	finishes available	13
UPC Code		outside height	12"	weight / shipping weight	2.7lbs / 11lbs
style	Louis XIV	outside width	22"	thickness	.425"
material	Urethane Resin	inside height	9-3/8"	predrilled screw holes/ Screws	6 /6
function	HVAC Grille	inside width	19-3/8"	Free air flow	114.4 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$169


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 10x24LT



part number	RR-203 10x24LT	to cover duct size	10" x 24"	finishes available	13
UPC Code		outside height	12"	weight / shipping weight	3.4lbs / 14lbs
style	Louis XIV	outside width	26"	thickness	.425"
material	Urethane Resin	inside height	9-3/8"	predrilled screw holes/ Screws	6 /6
function	HVAC Grille	inside width	23-3/8"	Free air flow	138 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$199


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 10x30LT



part number	RR-203 10x30LT	to cover duct size	10" x 30"	finishes available	13
UPC Code	731236369776	outside height	12"	weight / shipping weight	3.6lbs / 14lbs
style	Louis XIV	outside width	32"	thickness	.45"
material	Urethane Resin	inside height	9-3/8"	predrilled screw holes/ Screws	6 /6
function	HVAC Grille	inside width	29-3/8"	Free air flow	173.5 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$229


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 12x12LT



part number	RR-203 12x12LT	to cover duct size	12" x 12"	finishes available	13
UPC Code	731236368748	outside height	14"	weight / shipping weight	1.6lbs / 6lbs
style	Louis XIV	outside width	14"	thickness	.4"
material	Urethane Resin	inside height	11-3/8"	predrilled screw holes/ Screws	4 /4
function	HVAC Grille	inside width	11-3/8"	Free air flow	81.5 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$144


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 12x16LT



part number	RR-203 12x20LT	to cover duct size	12" x 16"	finishes available	13
UPC Code		outside height	14"	weight /shipping weight	2.3lbs / 8lbs
style	Louis XIV	outside width	18"	thickness	.425"
material	Urethane Resin	inside height	11-3/8"	predrilled screw holes/ Screws	6 /6
function	HVAC Grille	inside width	15-3/8"	Free air flow	110.2 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$159

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



artscla




BEAUX-ARTS CLASSIC PRODUCTS



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

beaussicprod

Louis XIV Style Grille: RR-203 12x20LT



part number	RR-203 12x20LT	to cover duct size	12" x 20"	finishes available	13
UPC Code		outside height	14"	weight /shipping weight	2.7lbs / 9lbs
style	Louis XIV	outside width	22"	thickness	.4"
material	Urethane Resin	inside height	11-3/8"	predrilled screw holes/ Screws	6 /6
function	HVAC Grille	inside width	19-3/8"	Free air flow	138.8 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$179


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 12x24LT



part number	RR-203 12x24LT	to cover duct size	12" x 24"	finishes available	13
UPC Code		outside height	14"	weight /shipping weight	3.3lbs / 11lbs
style	Louis XIV	outside width	26"	thickness	.4"
material	Urethane Resin	inside height	11-3/8"	predrilled screw holes/ Screws	6 /6
function	HVAC Grille	inside width	23-3/8"	Free air flow	167.5 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$239


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 12x30LT



part number	RR-203 12x30LT	to cover duct size	12" x 30"	finishes available	13
UPC Code		outside height	14"	weight /shipping weight	4lbs / 15lbs
style	Louis XIV	outside width	32"	thickness	.4"
material	Urethane Resin	inside height	11-3/8"	predrilled screw holes/ Screws	6 /6
function	HVAC Grille	inside width	29-3/8"	Free air flow	210.5 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$289


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 14x14LT



part number	RR-203 14x14LT	to cover duct size	14" x 14"	finishes available	13
UPC Code	731236368786	outside height	16"	weight / shipping weight	2.25lbs /8lbs
style	Louis XIV	outside width	16"	thickness	.4"
material	Urethane Resin	inside height	13-3/8"	predrilled screw holes/ Screws	4 /4
function	HVAC Grille	inside width	13-3/8"	Free air flow	112.7 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$169


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 14x20LT



	I	I	I		
part number	RR-203 14x20LT	to cover duct size	14" x 20"	finishes available	13
UPC Code	731236368786	outside height	16"	weight / shipping weight	2.8lbs /10lbs
style	Louis XIV	outside width	22"	thickness	.4"
material	Urethane Resin	inside height	13-3/8"	predrilled screw holes/ Screws	4 /4
function	HVAC Grille	inside width	19-3/8"	Free air flow	163.3 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$209


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 14x24LT



part number	RR-203 14x24LT	to cover duct size	14" x 24"	finishes available	13
UPC Code	731236368823	outside height	16"	weight / shipping weight	3.5lbs /12lbs
style	Louis XIV	outside width	26"	thickness	.45"
material	Urethane Resin	inside height	13-3/8"	predrilled screw holes/ Screws	6 /6
function	HVAC Grille	inside width	23-3/8"	Free air flow	197 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$259


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 14x30LT



part number	RR-203 14x30LT	to cover duct size	14" x 30"	finishes available	13
UPC Code		outside height	16"	weight / shipping weight	4lbs /18lbs
style	Louis XIV	outside width	32"	thickness	.45"
material	Urethane Resin	inside height	13-3/8"	predrilled screw holes/ Screws	6 /6
function	HVAC Grille	inside width	29-3/8"	Free air flow	247.5 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$299


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 16x16LT




part number	RR-203 16x16LT	to cover duct size	16" x 16"	finishes available	13
UPC Code		outside height	18"	weight /shipping weight	3lbs /11lbs
style	Louis XIV	outside width	18"	thickness	.425"
material	Urethane Resin	inside height	15-3/8"	predrilled screw holes/ Screws	4 /4
function	HVAC Grille	inside width	15-3/8"	Free air flow	148.9 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$199

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790




Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 16x24LT



	20					
part number	RR-203 16x24LT	to cover duct size	16" x 24"	finishes available	13	
UPC Code		outside height	18"	weight / shipping weight	4lbs /16lbs	

.425

style Louis XIV outside width 26" thickness .425" material Urethane Resin 15-3/8" inside height predrilled screw holes/ Screws 6/6 function HVAC Grille inside width 23-3/8" Free air flow 187.7sq inch 1-5/16" placement | Wall / Ceiling frame width \$279 price


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 16x30LT




part number	RR-203 16x30LT	to cover duct size	16" x 30"	finishes available	13
UPC Code		outside height	18"	weight /shipping weight	4.5lbs /20lbs
style	Louis XIV	outside width	32"	thickness	.425"
material	Urethane Resin	inside height	15-3/8"	predrilled screw holes/ Screws	6 /6
function	HVAC Grille	inside width	29-3/8"	Free air flow	284.5sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$339

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790




Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 20x12LT



part number	RR-203 20x12LT	to cover duct size	20" x 12"	finishes available	13
UPC Code	731236368861	outside height	22"	weight /shipping weight	2.6lbs /8lbs
style	Louis XIV	outside width	14"	thickness	.42"
material	Urethane Resin	inside height	19-3/8"	predrilled screw holes/ Screws	6 /6
function	HVAC Grille	inside width	11-3/8"	Free air flow	138.8 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$179


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 20x14LT



•	16" —	-	→ ⁴² ″ ←


part number	RR-203 20x14LT	to cover duct size	20" x 14"	finishes available	13
UPC Code	731236368991	outside height	22"	weight /shipping weight	2.5lbs / 9lbs
style	Louis XIV	outside width	16"	thickness	.42"
material	Urethane Resin	inside height	19-3/8"	predrilled screw holes/ Screws	6/6
function	HVAC Grille	inside width	13-3/8"	Free air flow	163.3 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$209

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790



Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.




22"

BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 20x20LT



→ 22" **→** •42" **→**

			20" 20"	6	4.6
part number	RR-203 20x20LT	to cover duct size	20" x 20"	finishes available	13
UPC Code		outside height	22"	weight /shipping weight	5lbs / 19lbs
style	Louis XIV	outside width	22"	thickness	.42"
material	Urethane Resin	inside height	19-3/8"	predrilled screw holes/ Screws	8/8
function	HVAC Grille	inside width	19-3/8"	Free air flow	236.5sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$279

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.




22"

BEAUX-ARTS CLASSIC PRODUCTS

WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 20x24LT



part number RR-203 20x24LT to cover duct size 20" x 24" finishes available | 13 **UPC** Code outside height 22" weight / shipping weight | 5lbs / 19lbs style Louis XIV outside width 26" thickness .425" material Urethane Resin inside height 19-3/8" predrilled screw holes/ Screws 8/8 function | HVAC Grille inside width 23-3/8" 285.3sq inch Free air flow placement | Wall / Ceiling frame width 1-5/16" \$339 price

26"

.42″


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 20x30LT



part number RR-203 20x30LT to cover duct size 20" x 30" finishes available 13

part number	RR-203 20x30LT	to cover duct size	20" x 30"	finishes available	13
UPC Code	731236368991	outside height	22"	weight / shipping weight	7lbs / 24lbs
style	Louis XIV	outside width	32"	thickness	.45"
material	Urethane Resin	inside height	19-3/8"	predrilled screw holes/ Screws	8 /8
function	HVAC Grille	inside width	29-3/8"	Free air flow	358.6 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$399


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 24x14LT




part number	RR-203 24x14LT	to cover duct size	24" x 14"	finishes available	13
UPC Code	731236369059	outside height	26"	weight /shipping weight	3.5lbs / 12lbs
style	Louis XIV	outside width	16"	thickness	.42"
material	Urethane Resin	inside height	23-3/8"	predrilled screw holes/ Screws	6 /6
function	HVAC Grille	inside width	13-3/8"	Free air flow	197 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$259

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790




Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 24x20LT



part number	RR-203 24x20LT	to cover duct size	24" x 20"	finishes available	13
UPC Code	731236369059	outside height	26"	weight / shipping weight	5.7lbs / 19lbs
style	Louis XIV	outside width	22"	thickness	.45"
material	Urethane Resin	inside height	23-3/8"	predrilled screw holes/ Screws	8/8
function	HVAC Grille	inside width	19-3/8"	Free air flow	285.3sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$339


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

Louis XIV Style Grille: RR-203 24x24LT



part number	RR-203 24x24LT	to cover duct size	24" x 24"	finishes available	13
UPC Code	731236369059	outside height	26"	weight / shipping weight	7lbs / 24lbs
style	Louis XIV	outside width	26"	thickness	.45"
material	Urethane Resin	inside height	23-3/8"	predrilled screw holes/ Screws	8/8
function	HVAC Grille	inside width	23-3/8"	Free air flow	344.2sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$399


26"

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790



Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790

French Empire Style Grille: RR-211 Round Grille



HVAC Round Duct Supply Grille

Also used for Speaker Grilles



← 12″OD → 375


part number	RR-211 Round	to cover duct size	8" diameter	finishes available	13
UPC Code	731236369479	outside diameter	12" diameter	weight / shipping weight	1.2lbs / 5lbs
style	French Empire	Inside diameter	8" diameter	thickness	.375"
material	Urethane Resin	frame width	2"	predrilled screw holes/ Screws	4 /4
function	HVAC Grille	The center of this French Empire grille		Free air flow	37.2sq inch
placement	Wall / Ceiling	Is open to insert the l butterfly type dam		price	\$99

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



WWW.BEAUX-ARTSCLASSICPRODUCTS.COM INFO@BEAUX-ARTSCLASSICPRODUCTS.COM 410-867-0790



part number	FV-203 Foundation Vent	to cover vent size	8" x 16"	finishes available	13
UPC Code	731236369486	outside height	14"	weight /shipping weight	6lbs / 15lbs
style	Louis XIV	outside width	20"	thickness	7/8"
material	Urethane Resin	inside height	7-3/8"	mounting bolts with wing nuts	2
function	HVAC Grille	inside width	13-3/8"	free air flow	73 sq inch
placement	Wall / Ceiling	frame width	2"	price	\$209

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

This foundation Vent is made exclusively for foundations and crawl spaces to fit the typical 16" x 8" missing concrete block crawl space vent opening. These foundation vents consists of two separate parts, the frame which is attached to the foundation and the grille which is removable, both are cast from an exterior grade urethane resin that won't rot, rust, corrode or grow mold. The grille can be removed by unscrewing four knurled knobs, in order to seal off the foundation in cold weather months by inserting a sealing plate behind the grille, or to put in a fiberglass screen mesh behind the grille in the war weather months to allow ventilation in to the crawlspace. Therefore the homeowner can service these vents from the outside of the house without having to crawl into the crawl space. Each grille provides 73 square inches of ventilation with the fiberglass screen mesh installed. All installation hardware, plus sealer plate and fiberglass screen mesh is included. These foundation vents are easy to install in new construction and existing structures as well, plus they are virtually maintenance free. In addition they are available in two unique styles featuring either an Arts & Crafts style grille or a Louis XIV style grille.